INDEX OF AUTHORS

Abera, A. M. K. *See* Gold, C. S., 29; 39

Abeyasekera, S., Ritchie, J. M. and Lawson-McDowall, J. Combining ranks and scores to determine farmers' preferences for bean varieties in southern Malawi, 97

Abler, D. *See* Shortle, J. S., 371

Aboh, A. *See* Larbi, A., 253

Adekunle, I. O. *See* Larbi, A., 253

Aflakpui, G. K. S., Gregory, P. J. and Froud-Williams, R. J. Growth and biomass partitioning of maize during vegetative growth in response to *Striga hermonthica* infection and nitrogen supply, 265

Agyare, W. A. *See* Larbi, A., 253

Akinlade, J. *See* Larbi, A., 253

Akintola, J. O. *See* Chianu, J. N., 51

Albarrán-Portillo, B. *See* Arriaga-Jordán, C. M., 375

Anon. *State of the World 2002: A Worldwatch Institute Report on Progress Towards a Sustainable Society*, reviewed by A. H. Kassam, 483

Anon. *World Resources 2000-2001: People and Ecosystems: The Fraying Web of Life*, reviewed by A. H. Kassam, 111

Arora V. K. *See* Sandhu, K. S., 65

Arriaga-Jordán, C. M., Albarrán-Portillo, B., Espinoza-Ortega, A., García-Martínez, A. and Castelán-Ortega, O. A. On-farm comparison of feeding strategies based on forages for small-scale dairy production systems in the highlands of central Mexico, 375

Assad, M. T. *See* Bahrani, M. J., 389

Astatke, A., Jabbar, M., Mohamed Saleem M. A. and Erkossa, T. Technical and economic performance of animal-drawn implements for minimum tillage: Experience on Vertisols in Ethiopia, 185

Bahrani, M. J., Kheradnam, M., Emam, Y., Ghadiri, H. and Assad, M. T. Effects of tillage methods on wheat yield and yield components in continuous wheat cropping, 389

Baker D. R. and Umetsu, K. (Eds) *Agricultural Discovery: Insect, Weed and Fungal Control. ACS Symposium Series 774*, reviewed by A. N. E. Birch, 250

Bationo, A. *See* Buerkert, A., 163

Buchanan, B. B., Gruissem, W. and Jones, R. L. *Biochemistry and Molecular Biology of Plants*, reviewed by Howard Davies, 249

Buerkert, A., Piepho, H. -P., and Bationo, A. *Multi-site time-trend analysis of soil fertility management effects on crop production in sub-saharan West Africa*, 163

Cadavid, L. F. *See* El-Sharkawy, M. A., 333

Castelán-Ortega, O. A. *See* Arriaga-Jordán, C. M., 375

Chand, R. *See* Sandhu, K. S., 65

Chauhan, Y. S. *See* Dahiya, S. S., 1

Chianu, J. N., Akintola, J. O. and Kormawa, P. M. Profitability of cassava-maize production under different fallow systems and land-use intensities in the derived savanna of southwest Nigeria, 51

Chiyembekeza, A. J. *See* Freeman, H. A., 211

Dahiya, S. S., Chauhan, Y. S., Johansen, C., Waldia, R. S., Sekhon, H. S. and Nandal, J. K. Extra-short-duration pigeonpea for diversifying wheat-based cropping systems in the sub-tropics, 1

D'Angelo, S. A. *See* Elias, M. E. A., 277

Daymond, A. J., Hadley, P., Machado, R. C. R. and Ng, E. Canopy characteristics of contrasting clones of cacao (*Theobroma cacao*), 359

Denholm, I. *See* Morse, S., 469

Diels, J. *See* Vanlauwe, B., 485

Donovan, C. *See* Haefele, S. M., 197

Elias, M. E. A., Schroth, G., Macêdo, J. L. V., Mota, M. S. S. and D'Angelo, S. A. Mineral nutrition, growth and yields of annatto trees (*Bixa orellana*) in agroforestry on an Amazonian Ferralsol, 277

El-Sharkawy, M. A. and Cadavid, L. F. Response of cassava to prolonged water stress imposed at different stages of growth, 333

Emam, Y. *See* Bahrani, M. J., 389

Erkossa, T. *See* Astatke, A., 185

Espinoza-Ortega, A. *See* Arriaga-Jordán, C. M., 375

Freeman, H. A., Van Der Merwe, P. J. A., Subrahmanyam, P., Chiyembekeza, A. J. and Kaguongo, W. Assessing adoption potential of new groundnut varieties in Malawi, 211

Friis-Hansen, E. and Sthapit, B. (Eds) *Participatory Approaches to the Conservation and Use of Plant Genetic Resources*, reviewed by J. R. Witcombe, 369

Froud-Williams, R. J. *See* Aflakpui, G. K. S., 265

Gacheru, E. *See* Rao, M. R., 223
García-Martínez, A. *See* Arriaga-Jordán, C. M., 375
Gbaraneh, L. D. *See* Larbi, A., 253
Ghadiri, H. *See* Bahrani, M. J., 389
Gilbert, R. *See* Snapp, S., 411
Giller, K. E. *Nitrogen Fixation in Tropical Agriculture. (Second edition)*, reviewed by J. Sprent, 111
Gold, C. S., Kiggundu, A., Abera, A. M. K. and Karamura, D. Selection Criteria Of Musa Cultivars Through A Farmer Participatory Appraisal Survey In Uganda, 29; 39
Gold, C. S., Kiggundu, A., Abera, A. M. K. and Karamura, D. Diversity, distribution and farmer preference of Musa cultivars in Uganda., 29; 39
Graves, C. (Ed) *The Potato. Treasure of the Andes. From Agriculture to Culture*, reviewed by N. L. Innes, 112,
Gregory, P. J. *See* Aflakpui, G. K. S., 265
Gruissem, W. *See* Buchanan, B. B., 249
Gunesena, H. P. M. and Hughes, A. *Tamarind* (Tamarus indica *L.*), reviewed by Rex Brennan, 112

Hadley, P. *See* Daymond, A. J., 359
Haefele, S. M., Wopereis, M. C. S. and Donovan, C. Farmers' perceptions, practices and performance in a Sahelian irrigated rice scheme, 197
Hammes P. S. *See* Murata, M. R., 317
Harris, F. Management of manure in farming systems in semi-arid West Africa, 131
Henry, R. J. (Ed) *Plant Genotyping The DNA Fingerprinting of Plants*, reviewed by Brian Forster, 370
Hillocks, R. J. and Kibani, T. H. M. Factors affecting the distribution, incidence and spread of fusarium wilt of cotton in Tanzania, 13
Holliday, P. *A Dictionary of Plant Pathology*. Paperback Edition, reviewed by J. M. Duncan, 249
Hughes, A. *See* Gunesena, H. P. M., 112

Impens, I. *See* Olyslaegers, G., 397

Jabbar, M. *See* Astatke, A., 185
Jama, B. *See* Rao, M. R., 223
Jeger, M. J. and Spence, N. J. (Eds) *Biotic Interactions in Plant-Pathogen Associations*, reviewed by K. Ritz, 113
Jenkins, J. N. and Saha, S. (Eds) *Genetic Improvement of Cotton: Emerging Technologies*, reviewed by J. S. Watson, 250
Johansen, C. *See* Dahiya, S. S., 1
Jones, R. L. *See* Buchanan, B. B., 249

Kaguongo, W. *See* Freeman, H. A., 211
Kamanga, B. *See* Snapp, S., 411
Kanyama-Phiri, G. *See* Snapp, S., 411
Kar, P. P. and Singh, D. P. Effect of some metabolic inhibitors and growth hormones on the sporulation and growth of *Azolla microphylla*, 433
Karamura, D. *See* Gold, C. S., 29; 39
Karbo, N. *See* Larbi, A., 253
Kheradnam, M. *See* Bahrani, M. J., 389
Kibani, T. H. M. *See* Hillocks, R. J., 13
Kiggundu, A. *See* Gold, C. S., 29; 39
Kockelbergh, F. *See* Olyslaegers, G., 397
Kormawa, P. M. *See* Chianu, J. N., 51

Laker, M. *See* Olyslaegers, G., 397
Larbi, A., Smith, J. W., Adekunle, I. O., Agyare, W. A., Gbaraneh, L. D., Tanko, R. J., Akinlade, J., Omokaye, A. T., Karbo, N. and Aboh, A. Crop residues for mulch and feed in crop–livestock systems: Impact on maize grain yield and soil properties in the West African humid forest and savanna zones, 253
Lawson-McDowall, J. *See* Abeyasekera, S., 97
Lazenby, A. *See* Tow, P. J., 481
Lemeur, R. *See* Olyslaegers, G., 397

Macêdo, J. L. V. *See* Elias, M. E. A., 277
Machado, R. C. R. *See* Daymond, A. J., 359
Madely, J. *Food for All. The Need for a New Agriculture*, reviewed by N. L. Innes, 485
Mathuva, M. N. *See* Rao, M. R., 223
McNamara, N. *See* Morse, S., 469
McNeill J. *Something New Under the Sun: An Environmental History of the Twentieth Century*, reviewed by A. H. Kassam, 481
Merckx, R. *See* Vanlauwe, B., 483
Mohamed Saleem M. A. *See* Astatke, A., 185
Morse, S., Ward, A., McNamara, N. and Denholm, I. Exploring the factors that influence the uptake of botanical insecticides by farmers: A case study of tobacco-based products in Nigeria, 469
Mota, M. S. S. *See* Elias, M. E. A., 277
Mrabet, R. Wheat yield and water use efficiency under contrasting residue and tillage management systems in a semiarid area of Morocco, 237
Murata, M. R., Hammes P. S. and Zharare, G. E. Soil amelioration effects on nutrient availability and productivity of groundnut on acid sandy soils of Zimbabwe, 317

Nandal, J. K. *See* Dahiya, S. S., 1
Nannipieri, P. *See* Pinton, R., 371
Ndjeunga, J. Local village seed systems and pearl millet seed quality in Niger, 149
Ng, E. *See* Daymond, A. J., 359
Nijs, I. *See* Olyslaegers, G., 397
Nyamudeza, P. *See* Syers, J. K., 112

Olyslaegers, G., Nijs, I., Roebben, J., Kockelbergh, F., Vanassche, F., Laker, M., Verbelen, J. -P., Samson, R., Lemeur, R. and Impens, I. Morphological and physiological indicators of tolerance to atmospheric stress in two sensitive and two tolerant tea clones in South Africa, 397
Omokaye, A. T. *See* Larbi, A., 253

Papanikolaou, X. *See* Tsakelidou, K., 351
Pearce, S. C. The control of environmental variation within the experimental area, 445
Pence, G. E. (Ed) *The Ethics of Food. A Reader for the 21st Century*, reviewed by N. L. Innes, 482
Pence, G. E. *Designer Food. Mutant Harvest or Breadbasket of the World?* Reviewed by W. H. Macfarlane Smith, 482
Penning de Vries, F. W. T. *See* Syers, J. K., 112
Pessarakli, M. (Ed) *Handbook of Plant and Crop Physiology. Second Edition*, reviewed by Roberto Viola, 370
Piepho, H. –P. *See* Buerkert, A., 163
Pinton, R, Varanini, Z. and Nannipieri, P. (Eds) *The Rhizosphere. Biochemistry and Organic Substances at the Soil-Plant Interface*, reviewed by G. R. Squire, 371
Protopapadakis, E. *See* Tsakelidou, K. 351
Purdue, D. A. *Anti-GenetiX: The emergence of the anti-GM movement*, reviewed by Wayne Powell, 251

Radersma, S. *See* Rao, M. R., 223
Rao, M. R., Mathuva, M. N., Gacheru, E., Radersma, S., Smithson, P. C. and Jama, B. Duration of sesbania fallow effect for nitrogen requirement of maize in planted fallow–maize rotation in western Kenya, 223
Ritchie, J. M. *See* Abeyasekera, S., 97
Robertson, M. J. *See* Shamudzarira, Z., 79
Roebben, J. *See* Olyslaegers, G., 397

Saha, S. *See* Jenkins, J. N., 250
Samson, R. *See* Olyslaegers, G., 397
Sandhu, K. S., Arora V. K. and Chand, R. Magnitude and economics of fertilizer nitrogen response of wheat in relation to amount and timing of water inputs, 65
Sanginga, N. *See* Vanlauwe, B., 483
Schroth, G. *See* Elias, M. E. A., 277
Sekhon, H. S. *See* Dahiya, S. S., 1
Shamudzarira, Z. and Robertson, M. J. Simulating response of maize to nitrogen fertilizer in semi-arid Zimbabwe, 79
Sharma, U. C. *See* Yadav, R. L., 457
Shortle, J. S. and Abler, D. (Eds) *Environmental Policies for Agricultural Pollution Control*, reviewed by Tony Edwards, 371
Singh, D. P. *See* Kar, P. P., 433
Smith, J. W. *See* Larbi, A., 253
Smithson, P. C. *See* Rao, M. R., 223
Snapp, S., Kanyama-Phiri, G., Kamanga, B., Gilbert, R. and Wellard, K. Farmer and researcher partnerships in Malawi: Developing soil fertility technologies for the near-term and far-term, 411
Spence, N. J. *See* Jeger, M. J., 113
Sthapit, B. *See* Friis-Hansen, E., 369
Struik, P. C. *See* Tsegaye, A., 291
Subrahmanyam, P. *See* Freeman, H. A., 211
Syers, J. K., Penning de Vries, F. W. T. and Nyamudeza, P. (Eds) *The Sustainable Management of Vertisols*, reviewed by P. J. Gregory, 112

Tanko, R. J. *See* Larbi, A., 253
Tomar, S. S. *See* Yadav, R. L. 457
Tow, P. J. and Lazenby, A. (Eds) *Competition and Succession in Pastures*, reviewed by J. M. Suttie, 481
Tsakelidou, K., Papanikolaou, X. and Protopapadakis, E. Rootstock effects on the yields, tree and fruit characteristics of the mandarin cultivar 'Clementine' on the island of Rhodes, 351
Tsegaye, A. and Struik, P. C. Analysis of enset (*Ensete ventricosum*) indigenous production methods and farm-based biodiversity in major enset-growing regions of southern Ethiopia, 291

Umetsu, K. *See* Baker D. R., 250

Van Der Merwe, P. J. A. *See* Freeman, H. A., 211
Van Rijn, P. J. *Weed Management in the Humid and Sub-humid Tropics*, reviewed by D. E. Johnson, 250
Vanassche, F. *See* Olyslaegers, G., 397
Vanlauwe, B., Diels, J., Sanginga, N. and Merckx, R. (Eds). *Integrated Plant Nutrient Management in Sub-Saharan Africa*, reviewed by P. B. Tinker, 485
Varanini, Z. *See* Pinton, R, 371
Verbelen, J. –P. *See* Olyslaegers, G., 397

Waldia, R. S. *See* Dahiya, S. S., 1
Walsh, J. R. *Wide Crossing, The West Africa Rice Development Association in Transition. 1985-2000*, reviewed by J. Griffith, 369
Ward, A. *See* Morse, S., 469
Wellard, K. *See* Snapp, S., 411
Wopereis, M. C. S. *See* Haefele, S. M., 197

Yadav, R. L., Tomar, S. S. and Sharma, U. C. Output:input ratios and apparent balances of N, P and K inputs in a rice-wheat system in North-West India, 457

Zharare, G. E. *See* Murata, M. R., 317

INDEX OF SUBJECTS

Adoption of technology. *See* Assessing adoption potential of new groundnut varieties in Malawi (Freeman, Van Der Merwe, Subrahmanyam, Chiyembekeza and Kaguongo), 211

Agricultural Discovery: Insect, Weed and Fungal Control. ACS Symposium Series 774, edited by Baker, D. R. and Umetsu, K., reviewed by A. N. E. Birch, 250

Agroforestry. *See* Mineral nutrition, growth and yields of annatto trees (*Bixa orellana*) in agroforestry on an Amazonian Ferralsol (Elias, Schroth, Macêdo, Mota and D'Angelo), 277

Alley cropping. *See* Profitability of cassava-maize production under different fallow systems and land-use intensities in the derived savanna of southwest Nigeria (Chianu, Akintola and Kormawa), 51

Amazonia. *See* Mineral nutrition, growth and yields of annatto trees (*Bixa orellana*) in agroforestry on an Amazonian Ferralsol (Elias, Schroth, Macêdo, Mota and D'Angelo), 277

Amelioration effects. *See* Soil amelioration effects on nutrient availability and productivity of groundnut on acid sandy soils of Zimbabwe (Murata, Hammes and Zharare), 317

Analysis of enset. *See* Enset

Animal traction. *See* Technical and economic performance of animal-drawn implements for minimum tillage: Experience on Vertisols in Ethiopia (Astatke, Jabbar, Mohamed Saleem and Erkossa), 185

Annatto trees. *See* Mineral nutrition, growth and yields of annatto trees (*Bixa orellana*) in agroforestry on an Amazonian Ferralsol (Elias, Schroth, Macêdo, Mota and D'Angelo), 277

Anti-GeneticX: The emergence of the anti-GM movement, by Purdue, D. A., reviewed by Wayne Powell, 251

Arachis hypogaea. *See* Groundnut

Assessing adoption potential of new groundnut varieties in Malawi (Freeman, Van Der Merwe, Subrahmanyam, Chiyembekeza and Kaguongo), 211

Atmospheric stress. *See* Morphological and physiological indicators of tolerance to atmospheric stress in two sensitive and two tolerant tea clones in South Africa (Olyslaegers, Nijs, Roebben, Kockelbergh, Vanassche, Laker, Verbelen, Samson, Lemeur and Impens), 397

Azolla microphylla. *See* Effect of some metabolic inhibitors and growth hormones on the sporulation and growth of *Azolla microphylla* (Kar and Singh), 433

Balances. *See* Output:input ratios and apparent balances of N, P and K inputs in a rice-wheat system in North-West India (Yadav, Tomar and Sharma), 457

Banana. *See* Selection criteria of *Musa* cultivars through a farmer participatory appraisal survey in Uganda (Gold, Kiggundu, Abera and Karamura), 29; Diversity, distribution and farmer preference of *Musa* cultivars in Uganda (Gold, Kiggundu, Abera and Karamura), 39

Bean varieties. *See* Combining ranks and scores to determine farmers' preferences for bean varieties in southern Malawi (Abeyasekera, Ritchie and Lawson-McDowall), 97

Biochemistry and Molecular Biology of Plants, by Buchanan, B. B. Gruissem, W. and Jones, R. L., reviewed by Howard Davies, 249

Biochemistry. See *Rhizosphere, Biochemistry and Organic Substances at the Soil-Plant Interface, The*, edited by Pinton, R. Varanini, Z. and Nannipieri, P., reviewed by G. R. Squire, 371

Biodiversity (farm-based). *See* Enset (*Ensete ventricosum*) indigenous production methods and farm-based biodiversity in major enset-growing regions of southern Ethiopia, Analysis of, (Tsegaye and Struik), 291

Biomass partitioning. *See* Growth and biomass partitioning of maize during vegetative growth in response to *Striga hermonthica* infection and nitrogen supply (Aflakpui, Gregory and Froud-Williams), 265

Biotic Interactions in Plant-Pathogen Associations, edited by Jeger, M. J. and Spence, N. J., reviewed by K. Ritz, 113

Bixa orellana. *See* Annatto trees

Botanical insecticides. *See* Exploring the factors that influence the uptake of botanical insecticides by farmers: A case study of tobacco-based products in Nigeria (Morse, Ward, McNamara and Denholm), 469

Cacao. *See* Canopy characteristics of contrasting clones of cacao (*Theobroma cacao*) (Daymond, Hadley, Machado and Ng), 359

Cajanus cajan. *See* Pigeonpea
Canopy characteristics of contrasting clones of cacao (*Theobroma cacao*) (Daymond, Hadley, Machado and Ng), 359
Cassava. *See* Profitability of cassava-maize production under different fallow systems and land-use intensities in the derived savanna of southwest Nigeria (Chianu, Akintola and Kormawa), 51; Response of cassava to prolonged water stress imposed at different stages of growth (El-Sharkawy and Cadavid), 333
Cereals. *See* Multi-site time-trend analysis of soil fertility management effects on crop production in sub-Saharan West Africa (Buerkert, Piepho and Bationo), 163
Combining ranks and scores to determine farmers' preferences for bean varieties in southern Malawi (Abeyasekera, Ritchie and Lawson-McDowall), 97
Competition and Succession in Pastures, edited by Tow, P. J. and Lazenby, A., reviewed by J. M. Suttie, 481
Conservation. *See Participatory Approaches to the Conservation and Use of Plant Genetic Resources*, edited by Friis-Hansen, E. and Sthapit, B., reviewed by J. R. Witcombe, 369
Continuous wheat cropping. *See* Tillage methods on wheat yield and yield components in continuous wheat cropping (effects of) (Bahrani, Kheradnam, Emam, Ghadiri and Assad) 389
Control. *See Environmental Policies for Agricultural Pollution Control*, edited by Shortle, J. S. and Abler, D., reviewed by Tony Edwards, 371
Control of environmental variation within the experimental area, The, (Pearce), 445
Cotton. *See* Factors affecting the distribution, incidence and spread of fusarium wilt of cotton in Tanzania (Hillocks and Kibani), 13; *Genetic Improvement of Cotton: Emerging Technologies*, edited by Jenkins, J. N. and Saha, S., reviewed by J. S. Watson, 251
Cover cropping. *See* Profitability of cassava-maize production under different fallow systems and land-use intensities in the derived savanna of southwest Nigeria (Chianu, Akintola and Kormawa), 51
Cowpea. *See* Multi-site time-trend analysis of soil fertility management effects on crop production in sub-saharan West Africa (Buerkert, Piepho and Bationo), 163
Crop mixture. *See* Profitability of cassava-maize production under different fallow systems and land-use intensities in the derived savanna of southwest Nigeria (Chianu, Akintola and Kormawa), 51
Crop physiology. *See Handbook of Plant and Crop Physiology, Second Edition*, edited by Pessarakli, M., reviewed by Roberto Viola, 370
Crop residues. *See* Multi-site time-trend analysis of soil fertility management effects on crop production in sub-saharan West Africa (Buerkert, Piepho and Bationo), 163
Crop residues for mulch and feed in crop–livestock systems: Impact on maize grain yield and soil properties in the West African humid forest and savanna zones (Larbi, Smith, Adekunle, Agyare, Gbaraneh, Tanko, Akinlade, Omokaye, Karbo and Aboh), 253
Crop–livestock systems. *See* Crop residues for mulch and feed in crop–livestock systems: Impact on maize grain yield and soil properties in the West African humid forest and savanna zones (Larbi, Smith, Adekunle, Agyare, Gbaraneh, Tanko, Akinlade, Omokaye, Karbo and Aboh), 253
Crossing. *See Wide Crossing. The West Africa Rice Development Association in Transition. 1985-2000*, by Walsh, J. R., reviewed by J. Griffith, 369

Dairy production (small-scale). *See* On-farm comparison of feeding strategies based on forages for small-scale dairy production systems in the highlands of central Mexico (Arriaga-Jordán, Albarrán-Portillo, Espinoza-Ortega, García-Martínez and Castelán-Ortega), 375
Demonstrations (on-farm). *See* Assessing adoption potential of new groundnut varieties in Malawi (Freeman, Van Der Merwe, Subrahmanyam, Chiyembekeza and Kaguongo), 211
Designer Food. Mutant Harvest or Breadbasket of the World? By Pence, G. E., reviewed by W. H. Macfarlane Smith, 482
Dictionary of Plant Pathology, A. Paperback Edition, by Holliday, P., reviewed by J. M. Duncan, 249
Distribution. *See* Factors affecting the distribution, incidence and spread of fusarium wilt of cotton in Tanzania (Hillocks and Kibani), 13; Diversity, distribution and farmer preference of *Musa* cultivars in Uganda (Gold, Kiggundu, Abera and Karamura), 39
Diversity, distribution and farmer preference of *Musa* cultivars in Uganda (Gold, Kiggundu, Abera and Karamura), 39
DNA Fingerprinting. *See Plant Genotyping. The DNA Fingerprinting of Plants*, edited by Henry, R. J., reviewed by Brian Forster, 370
Duration. *See* Extra-short-duration pigeonpea for diversifying wheat-based cropping systems in the sub-tropics (Dahiya, Chauhan, Johansen, Waldia, Sekhon and Nandal), 1

Duration of sesbania fallow effect for nitrogen requirement of maize in planted fallow–maize rotation in western Kenya (Rao, Mathuva, Gacheru, Radersma, Smithson and Jama), 223

Economic performance. *See* Technical and economic performance of animal-drawn implements for minimum tillage: Experience on Vertisols in Ethiopia (Astatke, Jabbar, Mohamed Saleem and Erkossa), 185

Economics. *See* Magnitude and economics of fertilizer nitrogen response of wheat in relation to amount and timing of water inputs (Sandhu, Arora and Chand), 65

Ecosystems. *See World Resources 2000-2001: People and Ecosystems: The Fraying Web of Life*, author anonymous, reviewed by A. H. Kassam, 111

Effect of some metabolic inhibitors and growth hormones on the sporulation and growth of *Azolla microphylla* (Kar and Singh), 433

Emerging technologies. *See Genetic Improvement of Cotton: Emerging Technologies*, edited by Jenkins, J. N. and Saha, S., reviewed by J. S. Watson, 251

Enset (*Ensete ventricosum*) indigenous production methods and farm-based biodiversity in major enset-growing regions of southern Ethiopia, Analysis of (Tsegaye and Struik), 291

Ensete ventricosum. *See* Enset

Environmental history. *See Something New Under the Sun: An Environmental History of the Twentieth Century*, by McNeill, J., reviewed by A. H. Kassam, 481

Environmental Policies for Agricultural Pollution Control, edited by Shortle, J. S. and Abler, D., reviewed by Tony Edwards, 371

Environmental variation. *See* Control of environmental variation within the experimental area, The (Pearce), 445

Ethics of Food, The. A Reader for the 21st Century, edited by Pence, G. E., reviewed by N. L. Innes, 482

Ethiopia. *See* Technical and economic performance of animal-drawn implements for minimum tillage: Experience on Vertisols in Ethiopia (Astatke, Jabbar, Mohamed Saleem and Erkossa), 185; Enset (*Ensete ventricosum*) indigenous production methods and farm-based biodiversity in major enset-growing regions of southern Ethiopia, Analysis of, (Tsegaye and Struik), 291

Exploring the factors that influence the uptake of botanical insecticides by farmers: A case study of tobacco-based products in Nigeria (Morse, Ward, McNamara and Denholm), 469

Extinction coefficient. *See* Canopy characteristics of contrasting clones of cacao (*Theobroma cacao*) (Daymond, Hadley, Machado and Ng), 359

Extra-short-duration pigeonpea for diversifying wheat-based cropping systems in the sub-tropics (Dahiya, Chauhan, Johansen, Waldia, Sekhon and Nandal), 1

Factors affecting the distribution, incidence and spread of fusarium wilt of cotton in Tanzania (Hillocks and Kibani), 13

Fallow effect. *See* Fallow-maize rotation

Fallow systems. *See* Profitability of cassava-maize production under different fallow systems and land-use intensities in the derived savanna of southwest Nigeria (Chianu, Akintola and Kormawa), 51

Fallow–maize rotation. *See* Duration of sesbania fallow effect for nitrogen requirement of maize in planted fallow–maize rotation in western Kenya (Rao, Mathuva, Gacheru, Radersma, Smithson and Jama), 223

Farmer and researcher partnerships in Malawi: Developing soil fertility technologies for the near-term and far-term (Snapp, Kanyama-Phiri, Kamanga, Gilbert and Wellard), 411

Farmer participatory research. *See* Selection criteria of *Musa* cultivars through a farmer participatory appraisal survey in Uganda (Gold, Kiggundu, Abera and Karamura), 29

Farmer preference. *See* Diversity, distribution and farmer preference of *Musa* cultivars in Uganda (Gold, Kiggundu, Abera and Karamura), 39; Combining ranks and scores to determine farmers' preferences for bean varieties in southern Malawi (Abeyasekera, Ritchie and Lawson-McDowall), 97

Farmers' perceptions, practices and performance in a Sahelian irrigated rice scheme (Haefele, Wopereis and Donovan), 197

Farming systems. *See* Management of manure in farming systems in semi-arid West Africa (Harris), 131

Feed. *See* Crop residues for mulch and feed in crop–livestock systems: Impact on maize grain yield and soil properties in the West African humid forest and savanna zones (Larbi, Smith, Adekunle, Agyare, Gbaraneh, Tanko, Akinlade, Omokaye, Karbo and Aboh), 253

Feeding strategies. *See* On-farm comparison of feeding strategies based on forages for small-scale dairy production systems in the highlands of central Mexico (Arriaga-Jordán, Albarrán-Portillo, Espinoza-Ortega, García-Martínez and Castelán-Ortega), 375

Ferralsol. *See* Mineral nutrition, growth and yields of annatto trees (*Bixa orellana*) in agroforestry on an Amazonian Ferralsol (Elias, Schroth, Macêdo, Mota and D'Angelo), 277

Fertility technologies. *See* Farmer and researcher partnerships in Malawi: Developing soil fertility technologies for the near-term and

Fertility technologies (*cont.*)
far-term (Snapp, Kanyama-Phiri, Kamanga, Gilbert and Wellard), 411
Fertilizer balances. *See* Output:input ratios and apparent balances of N, P and K inputs in a rice-wheat system in North-West India (Yadav, Tomar and Sharma), 457
Fertilizer nitrogen. *See* Magnitude and economics of fertilizer nitrogen response of wheat in relation to amount and timing of water inputs (Sandhu, Arora and Chand), 65
Food. *See Designer Food. Mutant Harvest or Breadbasket of the World?* By Pence, G. E., reviewed by W. H. Macfarlane Smith, 482
Food ethics. *See Ethics of Food, The. A Reader for the 21st Century*, edited by Pence, G. E., reviewed by N. L. Innes, 482
Food for All. The Need for a New Agriculture, by Madely, J., reviewed by N. L. Innes, 483
Forages. *See* On-farm comparison of feeding strategies based on forages for small-scale dairy production systems in the highlands of central Mexico (Arriaga-Jordán, Albarrán-Portillo, Espinoza-Ortega, García-Martínez and Castelán-Ortega), 389
Fruit characteristics. *See* Rootstock effects on the yields, tree and fruit characteristics of the mandarin cultivar 'Clementine' on the island of Rhodes (Tsakelidou, Papanikolaou and Protopapadakis), 351
Fungal control. *See Agricultural Discovery: Insect, Weed and Fungal Control. ACS Symposium Series 774*, edited by Baker, D. R. and Umetsu, K., reviewed by A. N. E. Birch, 250
Fusarium wilt. *See* Factors affecting the distribution, incidence and spread of fusarium wilt of cotton in Tanzania (Hillocks and Kibani), 13

Genetic Improvement of Cotton: Emerging Technologies, edited by Jenkins, J. N. and Saha, S., reviewed by J. S. Watson, 251,
Genotyping. *See Plant Genotyping. The DNA Fingerprinting of Plants*, edited by Henry, R. J., reviewed by Brian Forster, 370
Gossypium hirsutum. *See* Cotton
Groundnut. *See* Multi-site time-trend analysis of soil fertility management effects on crop production in sub-saharan West Africa (Buerkert, Piepho and Bationo), 163; Soil amelioration effects on nutrient availability and productivity of groundnut on acid sandy soils of Zimbabwe (Murata, Hammes and Zharare), 317
Groundnut varieties. *See* Assessing adoption potential of new groundnut varieties in Malawi (Freeman, Van Der Merwe, Subrahmanyam, Chiyembekeza and Kaguongo), 211
Growth and biomass partitioning of maize during vegetative growth in response to *Striga hermonthica* infection and nitrogen supply (Aflakpui, Gregory and Froud-Williams), 265,
Growth hormones. *See* Effect of some metabolic inhibitors and growth hormones on the sporulation and growth of *Azolla microphylla* (Kar and Singh), 433
Growth stages. *See* Response of cassava to prolonged water stress imposed at different stages of growth (El-Sharkawy and Cadavid), 333

Handbook of Plant and Crop Physiology. Second Edition, edited by Pessarakli, M., reviewed by Roberto Viola, 370
History. *See Something New Under the Sun: An Environmental History of the Twentieth Century*, by McNeill, J., reviewed by A. H. Kassam, 481

Incidence. *See* Factors affecting the distribution, incidence and spread of fusarium wilt of cotton in Tanzania (Hillocks and Kibani), 13
India. *See* Output:input ratios and apparent balances of N, P and K inputs in a rice-wheat system in North-West India (Yadav, Tomar and Sharma), 457
Indigenous production methods. *See* Enset (*Ensete ventricosum*) indigenous production methods and farm-based biodiversity in major enset-growing regions of southern Ethiopia, Analysis of, (Tsegaye and Struik), 291
Inhibitors (metabolic). *See* Effect of some metabolic inhibitors and growth hormones on the sporulation and growth of *Azolla microphylla* (Kar and Singh), 433
Input-output ratios. *See* Output:input ratios and apparent balances of N, P and K inputs in a rice-wheat system in North-West India (Yadav, Tomar and Sharma), 457
Insect control. *See Agricultural Discovery: Insect, Weed and Fungal Control. ACS Symposium Series 774*, edited by Baker, D. R. and Umetsu, K., reviewed by A. N. E. Birch, 250
Intercropping. *See* Multi-site time-trend analysis of soil fertility management effects on crop production in sub-saharan West Africa (Buerkert, Piepho and Bationo), 163
Integrated Plant Nutrient Management in Sub-Saharan Africa, edited by Vanlauwe, B., Diels, J. Sanginga, N. and Merckx, R., reviewed by P. B. Tinker, 483
Irrigated rice. *See* Farmers' perceptions, practices and performance in a Sahelian irrigated rice scheme (Haefele, Wopereis and Donovan), 197

Kenya. *See* Duration of sesbania fallow effect for nitrogen requirement of maize in planted

fallow–maize rotation in western Kenya (Rao, Mathuva, Gacheru, Radersma, Smithson and Jama), 223

Land drainage. *See* Technical and economic performance of animal-drawn implements for minimum tillage: Experience on Vertisols in Ethiopia (Astatke, Jabbar, Mohamed Saleem and Erkossa), 185

Land-use intensity. *See* Profitability of cassava-maize production under different fallow systems and land-use intensities in the derived savanna of southwest Nigeria (Chianu, Akintola and Kormawa), 51

Leaf-area index. *See* Canopy characteristics of contrasting clones of cacao (*Theobroma cacao*) (Daymond, Hadley, Machado and Ng), 359

Legumes. *See* Multi-site time-trend analysis of soil fertility management effects on crop production in sub-saharan West Africa (Buerkert, Piepho and Bationo), 163

Light interception. *See* Canopy characteristics of contrasting clones of cacao (*Theobroma cacao*) (Daymond, Hadley, Machado and Ng), 359

Livestock. *See* Management of manure in farming systems in semi-arid West Africa (Harris), 131

Livestock–crop systems. *See* Crop residues for mulch and feed in crop–livestock systems: Impact on maize grain yield and soil properties in the West African humid forest and savanna zones (Larbi, Smith, Adekunle, Agyare, Gbaraneh, Tanko, Akinlade, Omokaye, Karbo and Aboh), 253

Local village seed systems and pearl millet seed quality in Niger (Ndjeunga), 149

Magnitude and economics of fertilizer nitrogen response of wheat in relation to amount and timing of water inputs (Sandhu, Arora and Chand), 65

Maize. *See* Simulating response of maize to nitrogen fertilizer in semi-arid Zimbabwe (Shamudzarira and Robertson), 79; Profitability of cassava-maize production under different fallow systems and land-use intensities in the derived savanna of southwest Nigeria (Chianu, Akintola and Kormawa), 51; Duration of sesbania fallow effect for nitrogen requirement of maize in planted fallow–maize rotation in western Kenya (Rao, Mathuva, Gacheru, Radersma, Smithson and Jama), 223; Crop residues for mulch and feed in crop–livestock systems: Impact on maize grain yield and soil properties in the West African humid forest and savanna zones (Larbi, Smith, Adekunle, Agyare, Gbaraneh, Tanko, Akinlade, Omokaye, Karbo and Aboh), 253; Growth and biomass partitioning of maize during vegetative growth in response to *Striga hermonthica* infection and nitrogen supply (Aflakpui, Gregory and Froud-Williams), 265

Malawi. *See* Combining ranks and scores to determine farmers' preferences for bean varieties in southern Malawi (Abeyasekera, Ritchie and Lawson-McDowall), 97; Assessing adoption potential of new groundnut varieties in Malawi (Freeman, Van Der Merwe, Subrahmanyam, Chiyembekeza and Kaguongo), 211; Farmer and researcher partnerships in Malawi: Developing soil fertility technologies for the near-term and far-term (Snapp, Kanyama-Phiri, Kamanga, Gilbert and Wellard), 411

Management. See *Sustainable Management of Vertisols, The*, edited by Syers, J. K., Penning de Vries, F. W. T and Nyamudeza, P., reviewed by P. J. Gregory, 112

Management of manure in farming systems in semi-arid West Africa (Harris), 131

Mandarin cultivar 'Clementine'. *See* Rootstock effects on the yields, tree and fruit characteristics of the mandarin cultivar 'Clementine' on the island of Rhodes (Tsakelidou, Papanikolaou and Protopapadakis), 351

Manihot esculenta. *See* Cassava

Manihot utilissima (Manihot esculenta). *See* Cassava

Manure. *See* Management of manure in farming systems in semi-arid West Africa (Harris), 131

Mexico. *See* On-farm comparison of feeding strategies based on forages for small-scale dairy production systems in the highlands of central Mexico (Arriaga-Jordán, Albarrán-Portillo, Espinoza-Ortega, García-Martínez and Castelán-Ortega), 375

Mineral nutrition, growth and yields of annatto trees (*Bixa orellana*) in agroforestry on an Amazonian Ferralsol (Elias, Schroth, Macêdo, Mota and D'Angelo), 277

Minimum tillage. *See* Technical and economic performance of animal-drawn implements for minimum tillage: Experience on Vertisols in Ethiopia (Astatke, Jabbar, Mohamed Saleem and Erkossa), 185

Molecular biology of plants. *See Biochemistry and Molecular Biology of Plants*, by Buchanan, B. B., Gruissem, W. and Jones, R. L., reviewed by Howard Davies, 249

Morocco. *See* Wheat yield and water use efficiency under contrasting residue and tillage management systems in a semiarid area of Morocco (Mrabet), 237

Morphological and physiological indicators of tolerance to atmospheric stress in two sensitive and two tolerant tea clones in South Africa (Olyslaegers, Nijs, Roebben, Kockelbergh,

Morphological and physiological indicators (*cont.*) Vanassche, Laker, Verbelen, Samson, Lemeur and Impens), 397
Mulch. *See* Multi-site time-trend analysis of soil fertility management effects on crop production in sub-saharan West Africa (Buerkert, Piepho and Bationo), 163; Crop residues for mulch and feed in crop–livestock systems: Impact on maize grain yield and soil properties in the West African humid forest and savanna zones (Larbi, Smith, Adekunle, Agyare, Gbaraneh, Tanko, Akinlade, Omokaye, Karbo and Aboh), 253
Multiplication. *See* Local village seed systems and pearl millet seed quality in Niger (Ndjeunga), 149
Multi-site time-trend analysis of soil fertility management effects on crop production in sub-saharan West Africa (Buerkert, Piepho and Bationo), 163.
Musa cultivars. *See* Banana

Niger. *See* Local village seed systems and pearl millet seed quality in Niger (Ndjeunga), 149
Nigeria. *See* Profitability of cassava-maize production under different fallow systems and land-use intensities in the derived savanna of southwest Nigeria (Chianu, Akintola and Kormawa), 51; Exploring the factors that influence the uptake of botanical insecticides by farmers: A case study of tobacco-based products in Nigeria (Morse, Ward, McNamara and Denholm), 469
Nitrogen. *See* Simulating response of maize to nitrogen fertilizer in semi-arid Zimbabwe (Shamudzarira and Robertson), 79; Multi-site time-trend analysis of soil fertility management effects on crop production in sub-saharan West Africa (Buerkert, Piepho and Bationo), 163; Duration of sesbania fallow effect for nitrogen requirement of maize in planted fallow–maize rotation in western Kenya (Rao, Mathuva, Gacheru, Radersma, Smithson and Jama), 223; Growth and biomass partitioning of maize during vegetative growth in response to *Striga hermonthica* infection and nitrogen supply (Aflakpui, Gregory and Froud-Williams), 265; Output:input ratios and apparent balances of N, P and K inputs in a rice-wheat system in North-West India (Yadav, Tomar and Sharma), 457
Nitrogen Fixation in Tropical Agriculture. (Second edition), by Giller, K. E., reviewed by J. Sprent, 111
Nutrient availability. *See* Soil amelioration effects on nutrient availability and productivity of groundnut on acid sandy soils of Zimbabwe (Murata, Hammes and Zharare), 317
Nutrients. *See* Management of manure in farming systems in semi-arid West Africa (Harris), 131
Nutrient uptake. *See* Response of cassava to prolonged water stress imposed at different stages of growth (El-Sharkawy and Cadavid), 333
Nutrition. *See* Mineral nutrition, growth and yields of annatto trees (*Bixa orellana*) in agroforestry on an Amazonian Ferralsol (Elias, Schroth, Macêdo, Mota and D'Angelo), 277

On-farm comparison of feeding strategies based on forages for small-scale dairy production systems in the highlands of central Mexico (Arriaga-Jordán, Albarrán-Portillo, Espinoza-Ortega, Garcia-Martinez and Castelán-Ortega), 375
Organic substances. *See Rhizosphere, Biochemistry and Organic Substances at the Soil-Plant Interface, The*, edited by Pinton, R, Varanini, Z. and Nannipieri, P., reviewed by G. R. Squire, 371
Oryza sativa. *See* Rice (-wheat) system
Output:input ratios and apparent balances of N, P and K inputs in a rice-wheat system in North-West India (Yadav, Tomar and Sharma), 457

Participatory Approaches to the Conservation and Use of Plant Genetic Resources, edited by Friis-Hansen, E. and Sthapit, B., reviewed by J. R. Witcombe, 369
Participatory rural appraisal. *See* Enset (*Ensete ventricosum*) indigenous production methods and farm-based biodiversity in major enset-growing regions of southern Ethiopia, Analysis of (Tsegaye and Struik), 291
Partitioning. *See* Growth and biomass partitioning of maize during vegetative growth in response to *Striga hermonthica* infection and nitrogen supply (Aflakpui, Gregory and Froud-Williams), 265
Partnerships. *See* Farmer and researcher partnerships in Malawi: Developing soil fertility technologies for the near-term and far-term (Snapp, Kanyama-Phiri, Kamanga, Gilbert and Wellard), 411
Pastures. *See Competition and Succession in Pastures*, edited by Tow, P. J. and Lazenby, A., reviewed by J. M. Suttie, 481
Pearl millet. *See* Local village seed systems and pearl millet seed quality in Niger (Ndjeunga), 149
Pennisetum glaucum. *See* Pearl millet
People. *See World Resources 2000-2001: People and Ecosystems: The Fraying Web of Life*, author anonymous, reviewed by A. H. Kassam, 111
Perceptions (farmers'). *See* Farmers' perceptions, practices and performance in a Sahelian irrigated rice scheme (Haefele, Wopereis and Donovan), 197
Phaseolus vulgaris. *See* Bean varieties
Phosphorus. *See* Multi-site time-trend analysis of soil fertility management effects on crop

production in sub-saharan West Africa (Buerkert, Piepho and Bationo), 163; Output:input ratios and apparent balances of N, P and K inputs in a rice-wheat system in North-West India (Yadav, Tomar and Sharma), 457

Photosynthesis. *See* Growth and biomass partitioning of maize during vegetative growth in response to *Striga hermonthica* infection and nitrogen supply (Aflakpui, Gregory and Froud-Williams), 265

Physiological indicators. *See* Morphological and physiological indicators of tolerance to atmospheric stress in two sensitive and two tolerant tea clones in South Africa (Olyslaegers, Nijs, Roebben, Kockelbergh, Vanassche, Laker, Verbelen, Samson, Lemeur and Impens), 397

Pigeonpea. *See* Extra-short-duration pigeonpea for diversifying wheat-based cropping systems in the sub-tropics (Dahiya, Chauhan, Johansen, Waldia, Sekhon and Nandal), 1

Plant genetic resources (use and conservation of). *See Participatory Approaches to the Conservation and Use of Plant Genetic Resources*, edited by Friis-Hansen, E. and Sthapit, B., reviewed by J. R. Witcombe, 369

Plant Genotyping. The DNA Fingerprinting of Plants, edited by Henry, R. J., reviewed by Brian Forster, 370

Plant pathology. *See Dictionary of Plant Pathology, A*, Paperback Edition, by Holliday, P., reviewed by J. M. Duncan, 249

Plant and Crop Physiology, Handbook of. Second Edition, edited by Pessarakli, M., reviewed by Roberto Viola, 370

Plant-pathogen associations. *See Biotic Interactions in Plant-Pathogen Associations*, edited by Jeger, M. J. and Spence, N. J., reviewed by K. Ritz, 113

Policies. *See Environmental Policies for Agricultural Pollution Control*, edited by Shortle, J. S. and Abler, D., reviewed by Tony Edwards, 371

Pollution. *See Environmental Policies for Agricultural Pollution Control*, edited by Shortle, J. S. and Abler, D., reviewed by Tony Edwards, 371

Potassium. *See* Output:input ratios and apparent balances of N, P and K inputs in a rice-wheat system in North-West India (Yadav, Tomar and Sharma), 457

Potato, The. Treasure of the Andes. From Agriculture to Culture, edited by Graves, C., reviewed by N. L. Innes, 112

Practices (farmers'). *See* Farmers' perceptions, practices and performance in a Sahelian irrigated rice scheme (Haefele, Wopereis and Donovan), 197

Pricing. *See* Local village seed systems and pearl millet seed quality in Niger (Ndjeunga), 149

Productivity. *See* Soil amelioration effects on nutrient availability and productivity of groundnut on acid sandy soils of Zimbabwe (Murata, Hammes and Zharare), 317

Profitability of cassava-maize production under different fallow systems and land-use intensities in the derived savanna of southwest Nigeria (Chianu, Akintola and Kormawa), 51,

Pueraria phaseoloides. *See* Profitability of cassava-maize production under different fallow systems and land-use intensities in the derived savanna of southwest Nigeria (Chianu, Akintola and Kormawa), 51

Ranks. *See* Combining ranks and scores to determine farmers' preferences for bean varieties in southern Malawi (Abeyasekera, Ritchie and Lawson-McDowall), 97

Residue management. *See* Wheat yield and water use efficiency under contrasting residue and tillage management systems in a semiarid area of Morocco (Mrabet), 237

Residues. *See* Crop residues for mulch and feed in crop–livestock systems: Impact on maize grain yield and soil properties in the West African humid forest and savanna zones (Larbi, Smith, Adekunle, Agyare, Gbaraneh, Tanko, Akinlade, Omokaye, Karbo and Aboh), 253

Response of cassava to prolonged water stress imposed at different stages of growth (El-Sharkawy and Cadavid), 333

Rhizosphere, Biochemistry and Organic Substances at the Soil-Plant Interface, The, edited by Pinton, R, Varanini, Z. and Nannipieri, P., reviewed by G. R. Squire, 371

Rhodes. *See* Rootstock effects on the yields, tree and fruit characteristics of the mandarin cultivar 'Clementine' on the island of Rhodes (Tsakelidou, Papanikolaou and Protopapadakis), 351

Rice (-wheat system). *See* Output:input ratios and apparent balances of N, P and K inputs in a rice-wheat system in North-West India (Yadav, Tomar and Sharma), 457

Rock phosphate. *See* Multi-site time-trend analysis of soil fertility management effects on crop production in sub-saharan West Africa (Buerkert, Piepho and Bationo), 163

Rootstock effects on the yields, tree and fruit characteristics of the mandarin cultivar 'Clementine' on the island of Rhodes (Tsakelidou, Papanikolaou and Protopapadakis), 351

Rotation. *See* Multi-site time-trend analysis of soil fertility management effects on crop production in sub-Saharan West Africa (Buerkert, Piepho and Bationo), 163

Sahel. *See* Farmers' perceptions, practices and performance in a Sahelian irrigated rice scheme (Haefele, Wopereis and Donovan), 197
Scores. *See* Combining ranks and scores to determine farmers' preferences for bean varieties in southern Malawi (Abeyasekera, Ritchie and Lawson-McDowall), 97
Security stocks. *See* Local village seed systems and pearl millet seed quality in Niger (Ndjeunga), 149
Seed quality. *See* Local village seed systems and pearl millet seed quality in Niger (Ndjeunga), 149
Selection criteria of *Musa* cultivars through a farmer participatory appraisal survey in Uganda (Gold, Kiggundu, Abera and Karamura), 29
Sesbania. *See* Duration of sesbania fallow effect for nitrogen requirement of maize in planted fallow–maize rotation in western Kenya (Rao, Mathuva, Gacheru, Radersma, Smithson and Jama), 223
Simulating response of maize to nitrogen fertilizer in semi-arid Zimbabwe (Shamudzarira and Robertson), 79
Soil amelioration effects on nutrient availability and productivity of groundnut on acid sandy soils of Zimbabwe (Murata, Hammes and Zharare), 317
Soil fertility management. *See* Management of manure in farming systems in semi-arid West Africa (Harris), 131; Multi-site time-trend analysis of soil fertility management effects on crop production in sub-saharan West Africa (Buerkert, Piepho and Bationo), 163
Soil fertility technologies. *See* Farmer and researcher partnerships in Malawi: Developing soil fertility technologies for the near-term and far-term (Snapp, Kanyama-Phiri, Kamanga, Gilbert and Wellard), 411
Soil properties. *See* Crop residues for mulch and feed in crop–livestock systems: Impact on maize grain yield and soil properties in the West African humid forest and savanna zones (Larbi, Smith, Adekunle, Agyare, Gbaraneh, Tanko, Akinlade, Omokaye, Karbo and Aboh), 253
Soil-plant interface. *See Rhizosphere, Biochemistry and Organic Substances at the Soil-Plant Interface, The*, edited by Pinton, R, Varanini, Z. and Nannipieri, P., reviewed by G. R. Squire, 371
Soils. *See* Soil amelioration effects on nutrient availability and productivity of groundnut on acid sandy soils of Zimbabwe (Murata, Hammes and Zharare), 317
Something New Under the Sun: An Environmental History of the Twentieth Century, by McNeill, J., reviewed by A. H. Kassam, 481
South Africa. *See* Morphological and physiological indicators of tolerance to atmospheric stress in two sensitive and two tolerant tea clones in South Africa (Olyslaegers, Nijs, Roebben, Kockelbergh, Vanassche, Laker, Verbelen, Samson, Lemeur and Impens), 397
Sporulation. *See* Effect of some metabolic inhibitors and growth hormones on the sporulation and growth of *Azolla microphylla* (Kar and Singh), 433
Spread. *See* Factors affecting the distribution, incidence and spread of fusarium wilt of cotton in Tanzania (Hillocks and Kibani), 13
State of the World 2002: A Worldwatch Institute Report on Progress Towards a Sustainable Society, author anonymous, reviewed by A. H. Kassam, 483
Storage. *See* Local village seed systems and pearl millet seed quality in Niger (Ndjeunga), 149
Striga hermonthica. *See* Crop residues for mulch and feed in crop–livestock systems: Impact on maize grain yield and soil properties in the West African humid forest and savanna zones (Larbi, Smith, Adekunle, Agyare, Gbaraneh, Tanko, Akinlade, Omokaye, Karbo and Aboh), 253
Succession. *See Competition and Succession in Pastures*, edited by Tow, P. J. and Lazenby, A., reviewed by J. M. Suttie, 481
Sustainable Management of Vertisols, The, edited by Syers, J. K., Penning de Vries, F. W. T and Nyamudeza, P., reviewed by P. J. Gregory, 112
Sustainable society. *See State of the World 2002: A Worldwatch Institute Report on Progress Towards a Sustainable Society*, author anonymous, reviewed by A. H. Kassam, 483

Tamarind (*Tamarus indica L.*), by Gunesena, H. P. M. and Hughes, A., reviewed by Rex Brennan, 112
Tanzania. *See* Factors affecting the distribution, incidence and spread of fusarium wilt of cotton in Tanzania (Hillocks and Kibani), 13
Tea. *See* Morphological and physiological indicators of tolerance to atmospheric stress in two sensitive and two tolerant tea clones in South Africa (Olyslaegers, Nijs, Roebben, Kockelbergh, Vanassche, Laker, Verbelen, Samson, Lemeur and Impens), 397
Technical and economic performance of animal-drawn implements for minimum tillage: Experience on Vertisols in Ethiopia (Astatke, Jabbar, Mohamed Saleem and Erkossa), 185
Thea sinensis. *See* Tea
Theobroma cacao. *See* Cacao
Tillage management. *See* Wheat yield and water use efficiency under contrasting residue and tillage management systems in a semiarid area of Morocco (Mrabet), 237

Tillage methods on wheat yield and yield components in continuous wheat cropping (effects of) (Bahrani, Kheradnam, Emam, Ghadiri and Assad), 389
Time-trend analysis. *See* Multi-site time-trend analysis of soil fertility management effects on crop production in sub-saharan West Africa (Buerkert, Piepho and Bationo), 163
Timing. *See* Magnitude and economics of fertilizer nitrogen response of wheat in relation to amount and timing of water inputs (Sandhu, Arora and Chand), 65
Tobacco-based products. *See* Exploring the factors that influence the uptake of botanical insecticides by farmers: A case study of tobacco-based products in Nigeria (Morse, Ward, McNamara and Denholm), 469
Tolerance. *See* Morphological and physiological indicators of tolerance to atmospheric stress in two sensitive and two tolerant tea clones in South Africa (Olyslaegers, Nijs, Roebben, Kockelbergh, Vanassche, Laker, Verbelen, Samson, Lemeur and Impens), 397
Tree characteristics. *See* Rootstock effects on the yields, tree and fruit characteristics of the mandarin cultivar 'Clementine' on the island of Rhodes (Tsakelidou, Papanikolaou and Protopapadakis), 351
Trials (on-farm). *See* Assessing adoption potential of new groundnut varieties in Malawi (Freeman, Van Der Merwe, Subrahmanyam, Chiyembekeza and Kaguongo), 211
Triticum aestivum. *See* Wheat
Tropics, humid and sub-humid. *See Weed Management in the Humid and Sub-humid Tropics*, by van Rijn, P. J., reviewed by D. E. Johnson, 250

Uganda. *See* Selection criteria of *Musa* cultivars through a farmer participatory appraisal survey in Uganda (Gold, Kiggundu, Abera and Karamura), 29; Diversity, distribution and farmer preference of *Musa* cultivars in Uganda (Gold, Kiggundu, Abera and Karamura), 39

Variation (environmental). *See* Control of environmental variation within the experimental area, The (Pearce), 445
Varietal availability. *See* Local village seed systems and pearl millet seed quality in Niger (Ndjeunga), 149
Varietal preferences. *See* Combining ranks and scores to determine farmers' preferences for bean varieties in southern Malawi (Abeyasekera, Ritchie and Lawson-McDowall), 97
Vertisols. *See* Technical and economic performance of animal-drawn implements for minimum tillage: Experience on Vertisols in Ethiopia (Astatke, Jabbar, Mohamed Saleem and Erkossa), 185; *Sustainable Management of Vertisols, The*, edited by Syers, J. K., Penning de Vries, F. W. T and Nyamudeza, P., reviewed by P. J. Gregory, 112
Vigna unguiculata. *See* Cowpea
Village seed systems. *See* Local village seed systems and pearl millet seed quality in Niger (Ndjeunga), 149

Water inputs. *See* Magnitude and economics of fertilizer nitrogen response of wheat in relation to amount and timing of water inputs (Sandhu, Arora and Chand), 65
Water stress. *See* Response of cassava to prolonged water stress imposed at different stages of growth (El-Sharkawy and Cadavid), 333
Water use efficiency. *See* Wheat yield and water use efficiency under contrasting residue and tillage management systems in a semiarid area of Morocco (Mrabet), 237
Weed control. *See Agricultural Discovery: Insect, Weed and Fungal Control. ACS Symposium Series 774*, edited by Baker, D. R. and Umetsu, K., reviewed by A. N. E. Birch, 250
Weed Management in the Humid and Sub-Humid Tropics, by van Rijn, P. J., reviewed by D. E. Johnson, 250
West Africa. *See* Management of manure in farming systems in semi-arid West Africa (Harris), 131; Multi-site time-trend analysis of soil fertility management effects on crop production in sub-saharan West Africa (Buerkert, Piepho and Bationo), 163; Crop residues for mulch and feed in crop–livestock systems: Impact on maize grain yield and soil properties in the West African humid forest and savanna zones (Larbi, Smith, Adekunle, Agyare, Gbaraneh, Tanko, Akinlade, Omokaye, Karbo and Aboh), 253
West Africa Rice Development Association. *See Wide Crossing. The West Africa Rice Development Association in Transition. 1985-2000*, by Walsh, J. R., reviewed by J. Griffith, 369
Wheat. *See* Magnitude and economics of fertilizer nitrogen response of wheat in relation to amount and timing of water inputs (Sandhu, Arora and Chand), 65; Extra-short-duration pigeonpea for diversifying wheat-based cropping systems in the sub-tropics (Dahiya, Chauhan, Johansen, Waldia, Sekhon and Nandal), 1; Tillage methods on wheat yield and yield components in continuous wheat cropping (effects of) (Bahrani, Kheradnam, Emam, Ghadiri and Assad), 389
Wheat yield and water use efficiency under contrasting residue and tillage management

Wheat yield and water use efficiency (*cont.*)
systems in a semiarid area of Morocco (Mrabet), 237
Wheat-based cropping systems. *See* Extra-short-duration pigeonpea for diversifying wheat-based cropping systems in the sub-tropics (Dahiya, Chauhan, Johansen, Waldia, Sekhon and Nandal), 1
Wheat-rice system. *See* Output:input ratios and apparent balances of N, P and K inputs in a rice-wheat system in North-West India (Yadav, Tomar and Sharma), 457
Wide Crossing. The West Africa Rice Development Association in Transition. 1985-2000, by Walsh, J. R., reviewed by J. Griffith, 369
World Resources 2000-2001: People and Ecosystems: The Fraying Web of Life, author anonymous, reviewed by A. H. Kassam, 111
Yield. *See* Wheat yield and water use efficiency under contrasting residue and tillage management systems in a semiarid area of Morocco (Mrabet), 237
Yield components. *See* Tillage methods on wheat yield and yield components in continuous wheat cropping (effects of) (Bahrani, Kheradnam, Emam, Ghadiri and Assad), 389

Zea mays. *See* Maize
Zimbabwe. *See* Simulating response of maize to nitrogen fertilizer in semi-arid Zimbabwe (Shamudzarira and Robertson), 79; Soil amelioration effects on nutrient availability and productivity of groundnut on acid sandy soils of Zimbabwe (Murata, Hammes and Zharare), 317